Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758

•TRUSTED QUALITY SINCE 1921•

# **SAFETY DATA SHEET**

Worktop Transformations Base Coat

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier
Product name
Product description
Product type
UFI

: Worktop Transformations Base Coat

n : Paint

: Liquid.

: TA50-80GE-N00Y-EQ6N

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses			
Consumer use Industrial use Professional use			
Uses advised against	Reason		
None identified.	-		

# 1.3 Details of the supplier of the safety data sheet

RUST-OLEUM EUROPE Martin Mathys NV, Kolenbergstraat 23, B-3545 Zelem, Belgium Telephone no.: +32 (0) 13 460 200 Fax no.: +32 (0) 13 460 201

Tor Coatings Limited Unit 21, White Rose Way, Follingsby Park, Gateshead, Tyne & Wear, NE10 8YX United Kingdom Telephone no.: +44 (0) 191 4106611 Fax no.: +44 (0) 191 4920125 enquiries@tor-coatings.com

e-mail address of person : rpmeurohas@rustoleum.eu responsible for this SDS

## 1.4 Emergency telephone number

## National advisory body/Poison Centre

**Supplier** 

Telephone number United Kingdom: : +44 870 8200418 / +44 2038073798 Great Britain

Hours of operation

: 24/7

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Product definition : Mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

# **SECTION 2: Hazards identification**

2.2 Label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
General	:	P103 - Read carefully and follow all instructions. P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	EUH208 - Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol, 1,2-benzisothiazol-3(2H)- one and reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. EUH210 - Safety data sheet available on request. EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Supplemental label elements : Detergents - Regulation (EC) No 907/2006	:	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requirem	nen	its
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.

# 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do : None known. not result in classification

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : Mixture United Kingdom: Great Britain

Worktop Transformations Base Coat

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
2,4,7,9-tetramethyldec- 5-yne-4,7-diol	REACH #: 01-2119954390-39 EC: 204-809-1 CAS: 126-86-3	≤0,3	Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412	-	[1]
1,2-benzisothiazol-3(2H)- one	REACH #: 01-2120761540-60 EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0,05	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	ATE [Oral] = 490 mg/kg ATE [Inhalation (vapours)] = 0,5 mg/l Skin Sens. 1, H317: $C \ge 0,05\%$ M [Acute] = 1	[1]
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1)	REACH #: 01-2120764691-48 CAS: 55965-84-9 Index: 613-167-00-5 List #: 611-341-5	<0,001	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 See Section 16 for	ATE [Oral] = 64 mg/ kg ATE [Dermal] = 92,4 mg/kg ATE [Inhalation (dusts and mists)] = 0,171 mg/l Skin Corr. 1B, H314: $C \ge 0,6\%$ Skin Irrit. 2, H315: 0,06% $\le C < 0,6\%$ Eye Dam. 1, H318: $C \ge 0,6\%$ Eye Irrit. 2, H319: 0,06% $\le C < 0,6\%$ Skin Sens. 1, H317: $C \ge 0,0015\%$ M [Acute] = 100 M [Chronic] = 100	[1]
			the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Туре

[1] Substance classified with a health or environmental hazard

List numbers have no legal significance.

This mixture contains  $\geq$  1% of titanium dioxide. The Annex VI classification of titanium dioxide does not apply to this mixture according to Note 10.

Occupational exposure limits, if available, are listed in Section 8.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

# 4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/syr	<u>nptoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

## 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	Do not use water jet.
5.2 Special hazards arising f	rom	the substance or mixture
Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Additional information	:	No unusual hazard if involved in a fire.
Date of issue/Date of revision		: 09/09/2022 Date of previous issue : 09/09/2022 Version : 6 4/16

# SECTION 6: Accidental release measures

6.1 Personal precautions, prot	tec	tive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders		If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for c	coi	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance.

### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific	: Not available.
solutions	

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

## 8.1 Control parameters

# **Occupational exposure limits**

Recommended monitoring procedures If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

## **DNELs/DMELs**

Product/ingredient name	Туре	Exposure	Value	Population	Effects
1,2-benzisothiazol-3(2H)-one	DNEL	Long term Inhalation	6,81 mg/m³	Workers	Systemic
	DNEL	Long term Inhalation	1,2 mg/m³	General population	Systemic
	DNEL	Long term Dermal	0,966 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	0,345 mg/ kg bw/day	General population	Systemic
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)	DNEL	Long term Inhalation	0,02 mg/m³	Workers	Local
	DNEL	Short term Inhalation	0,04 mg/m³	Workers	Local
	DNEL	Long term Inhalation	0,02 mg/m³	General population	Local
	DNEL	Short term Inhalation	0,04 mg/m³		Local
	DNEL	Long term Oral	0,09 mg/ kg bw/day	General population	Systemic
	DNEL	Short term Oral	0,11 mg/ kg bw/day	General population	Systemic

## **PNECs**

Product/ingredient name	Compartment Detail	Value	Method Detail
titanium dioxide	Fresh water	0,127 mg/l	-
	Marine	>1 mg/l	-
	Sewage Treatment Plant	>100 mg/l	-
	Fresh water sediment	>1000 mg/kg	-
	Marine water sediment	>100 mg/kg	-
	Soil	100 mg/kg	-
	Marine water	0,0184 mg/l	-
	Fresh water	0,184 mg/l	-
(2-methoxymethylethoxy)propanol	Fresh water	19 mg/l	Assessment Factors
	Marine	1,9 mg/l	Assessment Factors
	Fresh water sediment	70,2 mg/kg dwt	-
e of issue/Date of revision : 09/09/202	22 Date of previous issue	: 09/09/2022	Version : 6

SECTION 8: Exposure controls/personal protection						
	Marine water sediment Soil Sewage Treatment Plant	7,02 mg/kg dwt 2,74 mg/kg 4168 mg/l	- - -			

8.2 Exposure controls Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.	
Individual protection meas	<u>s</u>	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Use eye protection according to EN 166. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.	

# **Skin protection**

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The breakthrough time must be greater than the end use time of the product.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Always ensure that gloves are free from defects and that they are stored and used correctly.

The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance. Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. > 8 hours (breakthrough time): nitrile rubber (0.5mm) gloves.
		The recommendation for the type or types of glove to use when handling this product is based on information from the following source: EN374. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Wear overalls or long sleeved shirt. (EN 467)
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: organic vapour (Type A) and particulate filter (EN 140).
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

# 9.1 Information on basic physical and chemical properties

:	tate : Liquid. : White, Black.	
:	N/hita Black	
	WINE DIACK.	
reshold ·	: Not available.	
	shold : Not available.	
	•••	
ing point and :		
ility (solid, gas) :	<ul> <li>ity (solid, gas)</li> <li>Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat and shocks and mechanical impacts. Nonflammable, but will burn on prolonged exposure to flame or high temperature.</li> </ul>	
d upper explosion :	upper explosion : Not available.	
	•	
	fication : Not available.	
:	: Dynamic: 1300 mPa·s [ASTM D562 [KU]]	
	: Dynamic: 1300 mPa·s [ASTM D562 [KU]]	_
:	: Dynamic: 1300 mPa·s [ASTM D562 [KU]]	
:	<ul> <li>: Dynamic: 1300 mPa·s [ASTM D562 [KU]]</li> <li>: Result</li> <li>r Soluble</li> </ul>	
: (ies) : er er bl	: Dynamic: 1300 mPa·s [ASTM D562 [KU]] : Result r Soluble Soluble Very slightly soluble Very slightly soluble	
r(ies) : er ol	: Dynamic: 1300 mPa·s [ASTM D562 [KU]] : Result r Soluble Soluble Very slightly soluble Very slightly soluble	
r(ies) : er er ol <sup>7</sup> in water : coefficient: n-octanol/ :	es) : Result r Soluble Soluble Very slightly soluble Very slightly soluble Very slightly soluble Very slightly soluble Not available.	
r(ies) : ter er bl r in water : coefficient: n-octanol/ : ressure :	<ul> <li>Example 2 Dynamic: 1300 mPa·s [ASTM D562 [KU]]</li> <li>Example 2 Dynamic: 1300 mPa·s [ASTM D562 [KU]]</li> <li>Result</li> <li>Result</li> <li>Soluble Soluble Soluble Very slightly soluble Very slightly soluble Very slightly soluble</li> <li>Not available.</li> <li>Defficient: n-octanol/ : Not applicable.</li> <li>Example 2,3 kPa (17,25 mm Hg) [Literature]</li> </ul>	
r(ies) : ter er ol r in water : coefficient: n-octanol/ : ressure : ion rate :	:       Dynamic: 1300 mPa⋅s [ASTM D562 [KU]]         :       Result         r       Soluble Soluble Very slightly soluble Very slightly soluble         n water       :         i       Not available.         pefficient: n-octanol/       :         i       Not applicable.         essure       :         i       2,3 kPa (17,25 mm Hg) [Literature]         in rate       :	
r(ies) : ter er ol r in water : coefficient: n-octanol/ : ressure : ion rate :	:       Dynamic: 1300 mPa⋅s [ASTM D562 [KU]]         :       Result         r       Soluble Soluble Very slightly soluble Very slightly soluble         n water       :         i       Not available.         pefficient: n-octanol/       :         i       Not applicable.         essure       :         i       2,3 kPa (17,25 mm Hg) [Literature]         in rate       :	
r(ies) : ter er bl r in water : coefficient: n-octanol/ : ressure : ion rate : density : :	<ul> <li>es) : Dynamic: 1300 mPa·s [ASTM D562 [KU]]</li> <li>es) : Result</li> <li>r Soluble Soluble Very slightly soluble Very slightly soluble Very slightly soluble</li> <li>n water : Not available.</li> <li>pefficient: n-octanol/ : Not applicable.</li> <li>essure : 2,3 kPa (17,25 mm Hg) [Literature]</li> <li>en rate : &lt;1 (butyl acetate = 1)</li> <li>ensity : Not available.</li> <li>i 1,23 to 1,29 g/cm³ [20°C (68°F)] [DIN 53217]</li> </ul>	
r(ies) : ter er ol in water : coefficient: n-octanol/ : ressure : ion rate : density : ensity :	<ul> <li>es) : Dynamic: 1300 mPa·s [ASTM D562 [KU]]</li> <li>es) : Result</li> <li>r Soluble Soluble Very slightly soluble Very slightly soluble Very slightly soluble Very slightly soluble</li> <li>n water : Not available.</li> <li>pefficient: n-octanol/ : Not applicable.</li> <li>essure : 2,3 kPa (17,25 mm Hg) [Literature]</li> <li>en rate : &lt;1 (butyl acetate = 1)</li> <li>ensity : Not available.</li> <li>i 1,23 to 1,29 g/cm³ [20°C (68°F)] [DIN 53217]</li> <li>ensity : &gt;1 [Air = 1]</li> </ul>	
r(ies) : er er od r in water : coefficient: n-octanol/ : ressure : ion rate : density : ensity : properties :	<ul> <li>i Dynamic: 1300 mPa·s [ASTM D562 [KU]]</li> <li>i</li> <li>Result</li> <li>r</li> <li>Soluble Soluble Very slightly soluble Very slightly soluble Very slightly soluble</li> <li>n water</li> <li>i Not available.</li> <li>pefficient: n-octanol/</li> <li>i Not applicable.</li> <li>2,3 kPa (17,25 mm Hg) [Literature]</li> <li>an rate</li> <li>: 2,3 kPa (17,25 mm Hg) [Literature]</li> <li>in rate</li> <li>: 41 (butyl acetate = 1)</li> <li>in rate</li> <li>: 1,23 to 1,29 g/cm<sup>3</sup> [20°C (68°F)] [DIN 53217]</li> <li>i 1,23 to 1,29 g/cm<sup>3</sup> [20°C (68°F)] [DIN 53217]</li> <li>i &gt;1 [Air = 1]</li> <li>properties</li> <li>i Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge and heat. No unusual hazard if involved in a fire.</li> </ul>	
r(ies) : er er od r in water : coefficient: n-octanol/ : ressure : ion rate : density : ensity : properties :	<ul> <li>bynamic: 1300 mPa-s [ASTM D562 [KU]]</li> <li>es)</li> <li>Result</li> <li>r</li> <li>Soluble Very slightly soluble Very slightly soluble Very slightly soluble</li> <li>very slightly soluble<th></th></li></ul>	
ling point and : nge ility (solid, gas) : d upper explosion : nt : tion temperature : sition temperature :	ing point and       : >100°C (>212°F) [Literature]         ity (solid, gas)       : Non-flammable in the presence of the following materials or conditions: ope flames, sparks and static discharge, heat and shocks and mechanical impart Nonflammable, but will burn on prolonged exposure to flame or high temperature.         upper explosion       : Not available.         t       : Not relevant due to nature of the product.         on temperature       : Not relevant due to nature of the product.         ition temperature       : Not available.         : 8 [Conc. (% w/w): 100%] [OECD 122]	

SECTION 10: Stability and reactivity						
10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.				
10.2 Chemical stability	:	The product is stable.				
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.				
10.4 Conditions to avoid	:	No specific data.				
10.5 Incompatible materials	:	No specific data.				
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.				

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2,4,7,9-tetramethyldec-	LC50 Inhalation Dusts and	Rat	>20 mg/l	4 hours
5-yne-4,7-diol	mists		_	
-	LC50 Inhalation Vapour	Rat	>20 mg/l	4 hours
	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	4600 mg/kg	-
1,2-benzisothiazol-3(2H)- one	LC50 Inhalation Dusts and mists	Rat	0,11 mg/l	4 hours
	LC50 Inhalation Dusts and mists	Rat - Male, Female	0,5 mg/l	4 hours
	LD50 Oral	Rat - Male	490 mg/kg	-
reaction mass of: 5-chloro-	LC50 Inhalation Dusts and	Rat - Male,	0,171 mg/l	4 hours
2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-	mists	Female		
3-one [EC no. 220-239-6] (3: 1)				
,	LD50 Dermal	Rabbit	92,4 mg/kg	-
	LD50 Oral	Rat	64 mg/kg	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
2,4,7,9-tetramethyldec-5-yne-4,7-diol 1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro-2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)	4600 490 64	N/A N/A 92,4	N/A N/A N/A	N/A 0,5 N/A	N/A N/A 0,171

Irritation/Corrosion

# **SECTION 11: Toxicological information**

Product/ingredient name	Result	Species	Score	Exposure	Observation
2,4,7,9-tetramethyldec- 5-yne-4,7-diol	Eyes - Severe irritant	Rabbit	-	0.1 Mililiters	-
	Skin - Mild irritant	Rabbit	-	0.5 Grams	-
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	Eyes - Severe irritant	Rabbit	-	-	-
,	Skin - Severe irritant	Human	-	0.01 Percent	-
	Skin - Severe irritant	Rabbit	-	-	1 to 4 hours

### **Conclusion/Summary**

Skin	1	Based on available data, the classification criteria are not met.
Eyes	1	Based on available data, the classification criteria are not met.

: Based on available data, the classification criteria are not met.

Respiratory

: Based on available data, the classification criteria are not met.

## **Sensitisation**

Product/ingredient name	Route of exposure	Species	Result
2,4,7,9-tetramethyldec- 5-yne-4,7-diol	skin	Mouse	Sensitising
1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	skin	Guinea pig Guinea pig	Sensitising Sensitising

**Conclusion/Summary** 

Skin	٤.	Based on available data, the classification criteria are not met.	
------	----	---	--

Respiratory : Based on available data, the classification criteria are not met.

**Mutagenicity** 

: Based on available data, the classification criteria are not met. **Conclusion/Summary** 

# Carcinogenicity

It has been observed that the carcinogenic hazard of this product arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung.

Conclusion/Summary	: Based on available data, the classification criteria are not met.
Reproductive toxicity	
<b>Conclusion/Summary</b>	: Based on available data, the classification criteria are not met.
Teratogenicity	
<b>Conclusion/Summary</b>	: Based on available data, the classification criteria are not met.
Specific target organ toxi	<u>city (single exposure)</u>
Not available.	

Specific target organ toxicity (repeated exposure) Not available.

**Aspiration hazard** 

Not available.

Information on likely routes	1	Routes of entry anticipated: Oral, Inhalation.
of exposure		Routes of entry not anticipated: Dermal.

#### SECTION 11: Toxicological information Potential acute health effects Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. : No known significant effects or critical hazards. Skin contact Ingestion : No known significant effects or critical hazards. Symptoms related to the physical, chemical and toxicological characteristics Eye contact : No specific data. Inhalation : No specific data. Skin contact : No specific data. Ingestion : No specific data. Delayed and immediate effects as well as chronic effects from short and long-term exposure Short term exposure **Potential immediate** : Not available. effects Potential delayed effects : Not available. Long term exposure **Potential immediate** : Not available. effects Potential delayed effects : Not available. Potential chronic health effects Not available. **Conclusion/Summary** : Based on available data, the classification criteria are not met. : No known significant effects or critical hazards. General Carcinogenicity : No known significant effects or critical hazards. **Mutagenicity** : No known significant effects or critical hazards. : No known significant effects or critical hazards. **Reproductive toxicity**

# 11.2 Information on other hazards

**11.2.1 Endocrine disrupting properties** 

Not available.

## 11.2.2 Other information

Not available.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
2,4,7,9-tetramethyldec- 5-yne-4,7-diol	Acute EC50 15 mg/l	Aquatic plants	72 hours
	Acute EC50 91 mg/l	Daphnia spec Daphnia Magna	48 hours
	Acute LC50 36 mg/l	Fish	96 hours
	Acute LC50 42 mg/l	Fish - Cyprinus carpio	24 hours
	Acute LC50 42 mg/l	Fish - Cyprinus carpio	96 hours
1,2-benzisothiazol-3(2H)-one	Acute EC50 0,11 mg/l	Algae	72 hours
	Acute EC50 0,067 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 0,9893 mg/l Marine water	Crustaceans - Opossum Shrimp	96 hours
	Acute EC50 2,94 mg/l Fresh water	Daphnia spec.	48 hours
	Acute LC50 2,18 mg/l Fresh water	Fish	96 hours
ate of issue/Date of revision	: 09/09/2022 Date of previous issue	: 09/09/2022 Version	:6 11/

Worktop Transformations Base Coat

# **SECTION 12: Ecological information**

	Acute LC50 8 to 13 mg/l	Fish - Alburnus alburnus	96 hours
	Acute LC50 1,6 to 2,8 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic NOEC 90 mg/l	Aquatic plants - Phaseolus vulgaris	20 days
	Chronic NOEC 1,2 mg/l	Daphnia spec.	21 days
	Chronic NOEC 0,21 mg/l	Fish	28 days
	Chronic NOEL 0,0403 mg/l	Algae	72 hours
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	Acute EC50 0,037 mg/l Fresh water	Algae	48 hours
	Acute EC50 0,16 mg/l Fresh water Acute LC50 0,19 mg/l Fresh water	Daphnia spec. Fish	48 hours 96 hours
	Acute NOEC 0,004 mg/l Marine water	Algae	48 hours
	Chronic NOEC 0,18 mg/l Chronic NOEC 0,02 mg/l Fresh water	Daphnia spec. Fish	21 days 38 days

**Conclusion/Summary** 

: Based on available data, the classification criteria are not met.

# 12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:	OECD 301D	>90 % - Readily - 1 days >60 % - Readily - 28 days	-	-
.,	-	<50 % - 10 days	-	-

# **Conclusion/Summary** : This product has not been tested for biodegradation. Based on available data, the classification criteria are not met.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
2,4,7,9-tetramethyldec- 5-yne-4,7-diol 1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:	-	-	Not readily Readily Readily

## **12.3 Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
2,4,7,9-tetramethyldec- 5-yne-4,7-diol	2,8	-	low
1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	-0.83 to 0.75	-	low low

# **SECTION 12: Ecological information**

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Nonvolatile liquid.

## 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## **12.6 Endocrine disrupting properties**

Not available.

### 12.7 Other adverse effects

No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance.

# **13.1 Waste treatment methods**

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.
European weets estaler	

### European waste catalogue (EWC)

Waste code	Waste designation
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
Special precautions	This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-

Worktop Transformations Base Coat

SECTION 14: Transport information					
14.5 Environmental hazards	No.	No.	No.	No.	

**14.6 Special precautions for user**: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

# 14.7 Transport in bulk: Not available.according to IMOinstruments

# **SECTION 15: Regulatory information**

Other EU regulations         VOC       :         VOC for Ready-for-Use       : IIA/i. One-pack performance coatings. EU limit value for this product : 140g/l (2010)         With term       This product contains a maximum of 50 m/l VOC	
VOC for Ready-for-Use : IIA/i. One-pack performance coatings. EU limit value for this product : 140g/l (2010	
Mixture This product contains a maximum of 50 g/l VOC.	0.)
Industrial emissions : Not listed (integrated pollution prevention and control) - Air	
Industrial emissions : Not listed (integrated pollution prevention and control) - Water	
United Kingdom: Great Britain	
UK (GB) /REACH	
Annex XIV - List of substances subject to authorisation	
Annex XIV	
None of the components are listed.	
Substances of very high concern	
None of the components are listed.	
Ozone depleting substances	
Not listed.	
Prior Informed Consent (PIC)	
Not listed.	
Persistent Organic Pollutants	
Not listed.	
Aerosol dispensers :	
Seveso Directive	
This product is not controlled under the Seveso Directive.	
Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain	
dangerous substances,	
mixtures and articles	

Date of issue/Date of revision

# **SECTION 15: Regulatory information**

# International regulations

## Stockholm Convention on Persistent Organic Pollutants

List name	Ingredient name	Status
Not listed.		

## Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

# **UNECE Aarhus Protocol on POPs and Heavy Metals**

List name	Ingredient name	Status
Not listed.		

### **CN code** : 3209 10 00 00

## Inventory list

Australia	:	All components are listed or exempted.
Canada	:	At least one component is not listed.
China	:	All components are listed or exempted.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): At least one component is not listed. Japan inventory (ISHL): Not determined.
New Zealand	:	At least one component is not listed.
Philippines	:	At least one component is not listed.
Republic of Korea	:	At least one component is not listed.
Taiwan	:	At least one component is not listed.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	Not determined.
Viet Nam	:	Not determined.
15.2 Chemical safety assessment	:	This product contains substances for which Chemical Safety Assessments are still required.

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration BRN = REACH Registration Number</li> </ul>
	RRN = REACH Registration Number
	SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative

# Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification	
Not classified.		

# Full text of abbreviated H statements

# United Kingdom: Great Britain

Date of issue/Date of revision

Worktop Transformations Base Coat

SECTION 16: Other	formation
Full text of abbreviated H statements	<ul> <li>H301 Toxic if swallowed.</li> <li>H302 Harmful if swallowed.</li> <li>H310 Fatal in contact with skin.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H300 Fatal if inhaled.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> </ul>
Full text of classifications [CLP/GHS]	Acute Tox. 2ACUTE TOXICITY - Category 2Acute Tox. 3ACUTE TOXICITY - Category 3Acute Tox. 4ACUTE TOXICITY - Category 4Aquatic Acute 1SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1AquaticLONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1Chronic 1AquaticAquaticLONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2Chronic 2AquaticAquaticLONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3Chronic 3Eye Dam. 1SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1Skin Corr. 1BSKIN CORROSION/IRRITATION - Category 1BSkin Irrit. 2SKIN CORROSION/IRRITATION - Category 2Skin Sens. 1SKIN SENSITISATION - Category 1Skin Sens. 1ASKIN SENSITISATION - Category 1A
Date of printing	09/09/2022
Date of issue/ Date of revision	09/09/2022
Date of previous issue	09/09/2022
Version	6
Notice to reader	

IMPORTANT NOTE: The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The information contained in this data sheet (as may be amended from time to time) is not intended to be exhaustive and is presented in good faith and believed to be correct as of the date on which it is prepared. It is the user's responsibility to verify that this data sheet is current prior to using the product to which it relates. Persons using the information must make their own determinations as to the suitability of the relevant product for their purposes prior to use. Where those purposes are other than as specifically recommended in this safety data sheet, then the user uses the product at their own risk.

MANUFACTURER'S DISCLAIMER: the conditions, methods and factors affecting the handling, storage, application, use and disposal of the product are not under the control and knowledge of the manufacturer. Therefore the manufacturer does not assume responsibility for any adverse events which may occur in the handling, storage, application, use, misuse or disposal of the product and, so far as permitted by applicable law, the manufacturer expressly disclaims liability for any and all loss, damages and/or expenses arising out of or in any way connected to the storage, handling, use or disposal of the product. Safe handling, storage, use and disposal are the responsibility of the users. Users must comply with all applicable health and safety laws.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.